

15-CD53W



Colour / Monochrome External Middle Speed Dome



Feature

CAMERA

- 1/4" Colour Sony super HAD CCD
- 480 TV Lines, 0.03 Lux / 0.005 Lux (DSS on)
- Under 2.0 Lux into monochrome view
- Digital Slow Shutter (DSS)
- Auto iris
- 48 Back light compensation zone selectable
- F1.6~3.8, f = 3.9 ~ 85.8 mm
- 220X zoom (22X optical zoom, 10X digital zoom)
- Support ICR function
- Pan range 0~360° speed 0.5~260°/S
- Tilt range 0~90° speed 0.5~120°/S
- 128 Preset positions, 1 Auto cruising track
- RS-485 multi protocols communication
- AC24V power supply HOUSING
- External weather proof
- Built-in 24V heater and blower
- Die-cast metal construction
- Wall mount bracket included
- Sunshield available as option
- Size: $\varnothing 200$ x 336 mm



TECHNICAL DATA DOR GUIDANCE PURPOSES ONLY PLEASE VERIFY WITH OUR SALES OFFICE

Zoom Camera Module	CZ55HCM
Video Signal Output	1.0 Vp-p / 75ohm (Video 0.714Vp-p / Sync 0.286Vp-p)
Image Sensor	1/4" Sony super HAD CCD
Horizontal Resolution	480 TV Lines
AGC	Auto (24 dB Max)
ALC	Auto / Fix
AES	Auto / Fix
BLC	On / Off
White Balance	Auto (ATW or AWB)
Optical Zoom	22X Zoom
Digital Zoom	10X Zoom
Focus	Auto / Manual
Position	128 Position (Zoom, Focus)
External Control	RS-485
OSD Control	Zoom, Focus, Iris, AWB, AGC, Position, C Gain, APC Gain
Enhancer	Manual H.Gain & V Gain
H/V Reverse	Off / On
Motion Detect	Off / On
Mask	Off / On
Language	English / Chinese / Japanese
Cross Line	Off / On
Freeze	Off / On
Picture Effect	Post. / Nega
Pan Range	0~360°; Speed 0.5~260°/sec
Tilt Range	0~90°; Speed 0.5~120°/sec
Auto Panning	128 Preset Positions (Max)
Auto Cruising	1 Auto Cruising Tracks(Max)
Power Source	AV24V / 1.7A
Operating Temperature	0°C~+60°C (Recommended 0°C~ +40°C)
Humidity	10% ~ 90%

CZ55HCM

SONY Color/Monochrome Camera Module



Feature

- Colour/Monochrome SONY Super HAD CCD
- Zoom Camera
- 480 TV Lines
- 3.9~85.8mm with 22X optical and 10X digital zoom to give a total of 220X zoom
- ICR Serial port control
- AGC, ALC, AES, BLC, AWB
- Preset Mask

www.revoz.cz