

3-Axes Board Lens + IR


CCD CAMERA

TC32SC

1/3" COLOR CCD CAMERA(MID-RES)

TC34SC

1/3" COLOR CCD CAMERA(HI-RES)



FEATURE

- Easy mounting on ceiling or wall.
- Image position can be adjustable by 3-axes.
- Vandal resistant withstand 10 pounds sledge hammer.
- Water resistant pass IP66.
- Built in board lens and 21 IR LEDs with projecting distance 20~25m.
- Anti-Thunder circuit prevents tube struck by thunder.



Model	TC32SC(MID-RES)	TC34SC(HI-RES)
Image device	1/3" color CCD sensor interline	
Effective picture elements	NTSC 510(H) x 492(V) PAL 500(H) x 582(V)	NTSC 768(H) x 494(V) PAL 752(H) x 582(V)
Scanning system	2:1 interlace	
Synchronizing system	Internal	
Horizontal resolution	More than 380 TV lines	More than 480 TV lines
Electronic shutter control	Auto-Electronic Shutter (1/60~1/100000 sec)NTSC; (1/50~1/100000 sec)PAL	
Gamma	0.45	
Minimum illumination	1.0 Lux/F1.8 IR on: 0 Lux	1.2 Lux/F1.8 IR on: 0 Lux
Video output level	1Vp-p / 75Ω	
Video S/N ratio	48 dB (AGC off)	
White balance	Auto (2500°K~9500°K)	
Backlight compensation	Yes	
Storage temperature	-30°C~80°C	
Operating temperature	-10°C~50°C	
Power requirements	DC 12V±10%	
Power consumption(DC12V)	300mA	320mA
Emitting wavelength of LED	850nm	
Emitting angle of LED	50°~60°	
Number of IR LED	21 PCS	
Illuminating distance	20~25M	
Dimensions	110 (Ø) X 70 (H) mm	
Weight	550g	
Lens Standard	STD: 6.0mm Option: 4.6 / 8.0mm / 12.0mm / F1.8	